

Safety Data Sheet

Product Name INSULBREAK - 3.0MM TO 10MM THICKNESS

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name	KINGSPAN INSULATION PTY LTD
Address	44 Millrose Drive , Malaga , WA, AUSTRALIA, 6090
Telephone	(08) 9209 3964
Fax	(08) 9249 8811
Emergency	(08) 9209 3964
Email	technical.au@insulation.kingspan.com
Web Site	http://www.kingspaninsulation.com.au
Synonym(s)	RANGING FROM TB030 TO TB100
Use(s)	REFLECTIVE INSULATION • THERMAL INSULATION • THERMO CELLULAR REFLECTIVE INSULATOR
SDS Date	14 Feb 2011

2. HAZARDS IDENTIFICATION

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN No.	None Allocated	DG Class	None Allocated	Subsidiary Risk(s)	None Allocated
Packing Group	None Allocated	Hazchem Code	None Allocated		

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
ALUMINIUM	AI	7429-90-5	12%
POLYETHYLENE	(C2-H4)n	9002-88-4	88%

4. FIRST AID MEASURES

Еуе	If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.		
Inhalation	If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.		
Skin	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.		
Ingestion	For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). Due to product form and application, ingestion is considered unlikely.		
Advice to Doctor	Treat symptomatically.		

5. FIRE FIGHTING MEASURES

Flammability Combustible. May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition.

Fire andEvacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind
and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing
Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

Extinguishing Dry agent, carbon dioxide, foam or water fog. Prevent contamination of drains or waterways.



Product Name INSULBREAK - 3.0MM TO 10MM THICKNESS

Hazchem Code None Allocated

6. ACCIDENTAL RELEASE MEASURES

Spillage

If spilt, collect and reuse where possible.

7. STORAGE AND HANDLING

Storage Store in a cool, dry area, removed from hydrofluoric acid, oxidising agents (eg. hypochlorites) and acids.

Handling Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure Stds

Ingredient	Reference	Т	WA	S	TEL
Aluminium (metal dust)	SWA (AUS)		10 mg/m ³		

Biological Limits No biological limit allocated.

Engineering Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended.

PPE Personal Protective Equipment is not required under normal conditions of use.Where a dust inhalation hazard exists (eg. if torn, cutting or drilling), wear dust-proof goggles and a Class P1 (Particulate) respirator.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	FOAM INSULATOR WITH ALUMINIUM FOIL ON BOTH SIDES AND ORANGE COATING ON ONE SIDE	Solubility (water)	INSOLUBLE
Odour	ODOURLESS	Specific Gravity	NOT AVAILABLE
рН	NOT AVAILABLE	% Volatiles	NOT AVAILABLE
Vapour Pressure	NOT AVAILABLE	Flammability	COMBUSTIBLE
Vapour Density	NOT AVAILABLE	Flash Point	NOT AVAILABLE
Boiling Point	NOT AVAILABLE	Upper Explosion Limit	NOT AVAILABLE
Melting Point	NOT AVAILABLE	Lower Explosion Limit	NOT AVAILABLE
Evaporation Rate	NOT AVAILABLE		
Autoignition Temperature	NOT AVAILABLE	Decomposition Temperature	NOT AVAILABLE
Partition Coefficient	NOT AVAILABLE	Viscosity	NOT AVAILABLE

10. STABILITY AND REACTIVITY

Chemical Stability	Stable under recommended conditions of storage.
Conditions to Avoid	Avoid heat, sparks, open flames and other ignition sources.
Material to Avoid	Incompatible with hydrofluoric acid (violently), oxidising agents (eg. hypochlorites), acids (eg. nitric acid) and heat.
Hazardous Decomposition Products	May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition.
Hazardous Reactions	Polymerization will not occur.



11. TOXICOLOGICAL INFORMATION

Health Hazard Summary	Non toxic. Under normal conditions of use, adverse health effects are not anticipated. However, if dust is generated (eg. if product is cut, torn, drilled) over exposure may result in irritation of the eyes, nose, throat and skin.	
Eye	Exposure considered unlikely. Due to product form and nature of use, the potential for exposure is reduced. Product may only present a hazard if dust is generated.	
Inhalation	Exposure considered unlikely. An inhalation hazard is not anticipated unless cut, drilled or sanded with dust generation, which may result in irritation of the nose and throat. If heated, over exposure to fumes may result in irritation of the nose and headache.	
Skin	Non irritant.	
Ingestion	Ingestion is considered unlikely due to product form.	
Toxicity Data	POLYETHYLENE (9002-88-4) LDLo (Ingestion): 3000 mg/kg (rat)	

12. ECOLOGICAL INFORMATION

Environment

Limited ecotoxicity data was available for this product at the time this report was prepared. Ensure appropriate measures are taken to prevent this product from entering the environment.

13. DISPOSAL CONSIDERATIONS

Waste DisposalReuse where possible. No special precautions are required for this product.LegislationDispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

Shipping Name	None Allocated				
UN No.	None Allocated	DG Class	None Allocated	Subsidiary Risk(s)	None Allocated
Packing Group	None Allocated	Hazchem Code	None Allocated		

15. REGULATORY INFORMATION

Poison Schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

AICS All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Additional Information RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

EXPOSURE STANDARDS - TIME WEIGHTED AVERAGE (TWA) or WES (WORKPLACE EXPOSURE STANDARD) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

ABBREVIATIONS: ACGIH - American Conference of Industrial Hygienists. ADG - Australian Dangerous Goods. BEI - Biological Exposure Indice(s). CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds. CNS - Central Nervous System. EC No - European Community Number. HSNO - Hazardous Substances and New Organisms. IARC - International Agency for Research on Cancer. mg/m³ - Milligrams per Cubic Metre. NOS - Not Otherwise Specified.



Page 3 of 4 RMT Reviewed: 14 Feb 2011 Printed: 14 Feb 2011

Product Name INSULBREAK - 3.0MM TO 10MM THICKNESS

	pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline). ppm - Parts Per Million. RTECS - Registry of Toxic Effects of Chemical Substances. STEL - Short Term Exposure Limit. SWA - Safe Work Australia. TWA - Time Weighted Average.
	HEALTH EFFECTS FROM EXPOSURE: It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.
	PERSONAL PROTECTIVE EQUIPMENT GUIDELINES: The recommendation for protective equipment contained within this Chem Alert report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.
Report Status	This document has been compiled by RMT on behalf of the manufacturer of the product and serves as the manufacturer's Safety Data Sheet ('SDS').
	It is based on information concerning the product which has been provided to RMT by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer.
	While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.
Prepared By	Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmt.com.au

SDS Date 14 Feb 2011 End of Report

Chem/Alert.